Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2008 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Abatement and removal

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Adsorption

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Agriculture

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Algorithms

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Analytical techniques

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Aquifers

Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Automation

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Bacteria

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Basins

Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Best Management Practice

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Biological treatment

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Buried pipes

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Calibration

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2008 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Abatement and removal

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Adsorption

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Agriculture

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Algorithms

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Analytical techniques

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Aquifers

Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Automation

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Bacteria

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Basins

Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Best Management Practice

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Biological treatment

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Buried pipes

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Calibration

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated

Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

California

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Canada

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Canals

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Most Hydraulically Efficient Standard Lined Canal Sections — David C. Froehlich; 134 (4), 462-70 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Catchments

Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Channel design

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Channel flow

Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).

Clogging

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Coefficients

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Cold regions

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Computer programming

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Computer software

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Concentration

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Conduits

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Construction materials

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Contraction

Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Control structures

Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Control systems

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Corn

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Cost control

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Critical flow

Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Crops

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2),

175-84 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semi-arid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Cross flow

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Cross sections

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Most Hydraulically Efficient Standard Lined Canal Sections — David C. Froehlich; 134 (4), 462-70 (2008).

Culverts

Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).

Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Databases

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Deicing

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Denitrification

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Design

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Detention basins

Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

Developing countries

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Digital techniques

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Dimensional analysis

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Discharge

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Discharge measurement

Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Distribution functions

Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Ditches

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Drain tiles

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Drainage

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Drains

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Drawdown

Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Drip irrigation

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Droughts

Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Economic factors

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Electrical conductivity

Groundwater Quality Evaluation for Productive

Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Electricity

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Energy

Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Energy efficiency

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Erosion

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Estimation

Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Approximation of M Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Evaluation

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Evaporation

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semiarid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Evapotranspiration

Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Fertilizers

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Fibers

Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Filtration

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Finite element method

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Flow measurement

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Flow rates

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Flumes
Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).
Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).
Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Fluoridation
Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Forecasting
Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

France
Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Friction
Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).
Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Furrow irrigation
Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).
Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Gates
Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).
Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Genetic programming
Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Geographic information systems
SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Geometry
Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).
Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Geomorphology
Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Ghana
Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Gradually varied flow
Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Groundwater
SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).
Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).
Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).
Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Groundwater flow
Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Groundwater management
Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).
Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).
Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Groundwater quality
Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Groundwater recharge
Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Head loss
Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).
Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).
Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).
Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Heterogeneity
Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Highways
Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).

Highways and roads
Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).
Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Hydraulic conductivity
Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).
Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).
Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Hydraulic design
Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Hydraulic engineering
Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Hydraulic gradient
Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Hydraulic jumps
Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Hydraulic models
Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Hydraulic roughness

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).

Hydraulic structures

Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Hydraulics

Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Hydrographs

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Hydrologic models

SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Hydrology

Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Idaho

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

India

Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Most Hydraulically Efficient Standard Lined Canal Sections — David C. Froehlich; 134 (4), 462-70 (2008).

Infiltration

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

Inlets, waterways

Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).

Inorganic chemicals

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Iran

Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Irrigation

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Most Hydraulically Efficient Standard Lined Canal Sections — David C. Froehlich; 134 (4), 462-70 (2008).

Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Irrigation practices

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Irrigation scheduling

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134

(1), 67-73 (2008).

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Irrigation systems

Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Irrigation water

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Italy

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Kansas

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Laboratory test

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Leaching

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Leakage

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Lime

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Mapping

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Massachusetts

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Mathematical models

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Measurement

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Meteorological data

Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Models

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Moisture

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Motors

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Municipal engineering

Head-Discharge Equation for Sharp-Crested Polynomial Weir — Raouf E. Baddour; 134 (2), 260-2 (2008).

Natural resources

Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Nebraska

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Nitrogen

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

North Carolina

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Numerical models

Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Nutrients

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Open channel flow

Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Open channels

Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Optimization

Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Optimization models

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Parameters

Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Particle distribution

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Particle size

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Pavements

Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Peak flow

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

pH

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Phosphorus

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Pipe design

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Pipe flow

Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).

Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).

Pipe networks

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).

Pipeline design

Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Plastic pipes

Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Polynomials

Head-Discharge Equation for Sharp-Crested Polynomial Weir — Raouf E. Baddour; 134 (2), 260-2 (2008).

Ponds

Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

Pore size distribution

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Porosity

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Porous media

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Porous pavements

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Potable water

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Power usage

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Predictions
Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Pumping tests
Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Pumps
Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Rainfall
Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Ramps
Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Receiving water
Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Recession, models
Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Recreation
Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Regression analysis
Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Regression models
Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Rehabilitation
Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

Remote sensing
Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Reservoir operation
Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Reservoirs
Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Retention basins
Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

River beds
Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Rivers
Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Roofs
Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Roughness
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Runoff
Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Salinity

SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Satellites

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Scour

Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).

Seasonal variations

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Sediment

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Sediment transport

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Seepage

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Sensors

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Settling basins

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Simulation

Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Simulation models

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Slopes

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Sodium

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Soil condition

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Soil erosion

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Soil properties

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Soil sampling

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Soil water

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semiarid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Soils
Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Solutes
Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).

Sorption
Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

South Carolina
Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Spain
Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Spatial distribution
Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Spillways
Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

Sprinkler irrigation
Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Standardization
Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Steady flow
Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

Stormwater management
Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

Streamflow
Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Subcritical flow
Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Subirrigation
Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Submerged flow
Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

Submerging
Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Supercritical flow
Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Surface irrigation
Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Surface water
SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Suspended sediments
Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Sustainable development
Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Temperature
Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irriga-

tion Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Performance Study of SPAW Model with Temperature Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semi-arid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Tests

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Texas

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Time factors

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Topography

Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Transient flow

Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Transpiration

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Travel time

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Trickle irrigation

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Tropical regions

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semi-arid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Turbidity

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Turbulence

Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Turbulent flow

Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).

Turkey

Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Uniform flow

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Unsaturated flow

Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Urban areas

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Validation

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Variable frequency drives

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Vegetation

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Velocity

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Wastewater management

Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Water
Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Water balance
Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Water chemistry
Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Water consumption
Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Water content
Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Water demand
Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Water discharge
Head-Discharge Equation for Sharp-Crested Polynomial Weir — Raouf E. Baddour; 134 (2), 260-2 (2008).

Water distribution systems
Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Water loss
Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Water management
Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Water pipelines
Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Water pollution
Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Water pressure
Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Water quality
Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Water resources
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Water storage
Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Water supply
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Water treatment
Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71

(2008).

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Water use

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Watershed management

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Watersheds

Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Weather

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Weirs

Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Head-Discharge Equation for Sharp-Crested Polynomial Weir — Raouf E. Baddour; 134 (2), 260-2 (2008).

Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Wells

Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).

Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).

Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Wetlands

Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Yield

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Author Index

Abaci, O.
Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Abdel-Wahed, Mohamed H.
Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).

Abdulrahman, Abdulrahman
Direct Solution to Problems of Open-Channel Transitions: Rectangular Channels — Abdulrahman Abdulrahman; 134 (4), 533-7 (2008).

Adams, B. J.
Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Ahmad, Faheem
Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Ahn, Kyu-Hong
Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Akkuzu, Erhan
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Almasri, Mohammad N.
Discussion of "Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters" by Ram Kailash Prasad and Shashi Mathur — Mohammad N. Almasri; 134 (2), 267-8 (2008).

Ambast, Sunil K.
Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Ames, Daniel P.
Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Anderson, D. S.
Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Anwar, Arif A.
Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Araghinejad, Shahab
Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Asik, Serafettin
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Avci, Musa
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Aziz, N. M.
Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Babu, G. L. Sivakumar
Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Baddour, Raouf E.
Head-Discharge Equation for Sharp-Crested Polynomial Weir — Raouf E. Baddour; 134 (2), 260-2 (2008).

Bagheri, Hasan
Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Bakhtiari, M.
Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Bali, Khaled M.
Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Banoeng-Yakubo, Bruce
Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Barbarick, K.
New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Barber, Michael E.
Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Barrett, Michael E.
Comparison of BMP Performance Using the International BMP Database — Michael E. Barrett; 134 (5), 556-61 (2008).
Effects of a Permeable Friction Course on Highway Runoff — Michael E. Barrett; 134 (5), 646-51 (2008).

Baume, J.-P.
Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Baume, Jean-Pierre
Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Bausch, W. C.
New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Bedjaoui, N.
Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Belaud, Gilles
Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Berengena, Joaquín
Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Bhattacharjya, Rajib Kumar
Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).

Biggs, T. W.
Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Borghei, S. M.
Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Borst, Michael
Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff —

Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Burt, Charles M.

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Busch, Bryan

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Calzada-Pérez, Miguel A.

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Capra, Antonina

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Cardenas-Lailhacar, Bernard

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Carnahan, R.

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Carstensen, K.

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Castro-Fresno, Daniel

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Cavero, J.

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Chahar, Bhagu R.

Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Chakravarty, N. V. K.

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semi-arid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Chanson, Hubert

Closure to "Minimum Specific Energy and Critical Flow Conditions in Open Channels" by Hubert Chanson — Hubert Chanson; 134 (6), 883-7 (2008).

Chauhan, S. P. S.

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Chen, Shen-En

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Cheng, Jeffery Y. C.

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

Cheng, Yuan

Sediment Discharge from a Storm-Water Retention Pond — Yuan Cheng; 134 (5), 606-12 (2008).

Chinnarasri, Chaiyuth

Closure to "Flow Patterns and Energy Dissipation over Various Stepped Chutes" by Chaiyuth Chinnarasri and Somchai Wongwises — Chaiyuth Chinnarasri and Somchai Wongwises; 134 (1), 117 (2008).

Chiu, Shih-Kai

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Chow, Lien

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Clark, Shirley E.

Editorial — Robert Traver, Shirley Clark, and Scott Struck; 134 (5), 547 (2008).

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Clarke, Derek

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Cleveland, Theodore G.

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Consoli, Simona

Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).

Contor, Bryce

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Copeland, K. S.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Darzi, Abdullah

Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Das, Amlan

Closure to "Solution of Specific Energy and Specific Force Equations" by Amlan Das — Amlan Das; 134 (6), 882 (2008).

Das, Rajib

Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Delgado, J. A.

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

De Silva, M. S.

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Devitt, D. A.

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Di Piazza, Gian Vito

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Di Stefano, Costanza

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Dong, Wenchu

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Duce, P.

Surface Renewal Estimation of Pasture

Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Dukes, Michael D.

Expanding Disk Rain Sensor Performance and Potential Irrigation Water Savings — Bernard Cardenas-Lailhacar and Michael D. Dukes; 134 (1), 67-73 (2008).

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Earles, T. Andrew

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Eldeiry, Ahmed A.

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Elhaddad, Ayman

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Emerson, Clay H.

Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Estévez, Javier

Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Evett, Steven R.

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Fang, Xing

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Fernández-Barrera, Andrés H.

Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).

Ferro, Vito

Field Testing of a Simple Flume (SMBF) for Flow Measurement in Open Channels — Costanza Di Stefano, Gian Vito Di Piazza, and Vito Ferro; 134 (2), 235-40 (2008).

Firat, C. Ersen

Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Folmar, Norman D.

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Froehlich, David C.

Most Hydraulically Efficient Standard Lined Canal Sections — David C. Froehlich; 134 (4), 462-70 (2008).

Furman, A.

Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Gao, Peng

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Garcia, Luis A.

Surface Energy Balance-Based Model for Estimating Evapotranspiration Taking into Account Spatial Variability in Weather — Ayman Elhaddad and Luis A. Garcia; 134 (6), 681-9 (2008).

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).

Gardner, K.

Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

Gaudi, Franklin

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Gaur, A.

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Gavilán, Pedro

Comparison of Standardized Reference Evapotranspiration Equations in Southern Spain — Pedro Gavilán, Javier Estévez, and Joaquín Berengena; 134 (1), 1-12 (2008).

Ger, A. Metin

Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Gosain, Ashvani K.

Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Graaff, Bertus de

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Greenway, Margaret

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Gumma, M. K.

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Gunal, Mustafa

Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Guo, James C. Y.

Volume-Based Imperviousness for Storm Water Designs — James C. Y. Guo; 134 (2), 193-6 (2008).

Closure to "Storm-Water Predictions by Dimensionless Unit Hydrograph" by James C. Y. Guo — James C. Y. Guo; 134 (2), 270-1 (2008).

Retrofit Storm Water Retention Volume for Low Impact Development — James C. Y. Guo and Jeffery Y. C. Cheng; 134 (6), 872-6 (2008).

Guven, Aytac

Genetic Programming Approach for Prediction of Local Scour Downstream of Hydraulic Structures — Aytac Guven and Mustafa Gunal; 134 (2), 241-9 (2008).

Haderlie, Gary M.

Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).

Hansen, B. J.

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Haq, Zia Ul

Evaluation of a Genetic Algorithm for the Irrigation Scheduling Problem — Zia Ul Haq, Arif A. Anwar, and Derek Clarke; 134 (6), 737-44 (2008).

Hathaway, J. M.

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

He, Xin

Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Hinlein, Erich S.

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Hoorfar, A. H.

Discussion of "Minimum Specific Energy and Critical Flow Conditions in Open Channels" by H. Chanson — Ali R. Vatankhah, Salah Kouchakzadeh, and A. H. Hoorfar; 134 (6), 882-3 (2008).

Howell, T. A.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Grow-

ing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Hsu, Nien-Sheng

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Hu, Jiandong

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Huang, Shuhuai

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Hunt, W. F.

Field Evaluation of Level Spreaders in the Piedmont of North Carolina — J. M. Hathaway and W. F. Hunt; 134 (4), 538-42 (2008).

Hussein, Ahmed S. A.

Simplified Design of Hydraulically Efficient Power-Law Channels with Freeboard — Ahmed S. A. Hussein; 134 (3), 380-6 (2008).

Irmak, A.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Irmak, S.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. II: Measurement and Estimation of Actual Evapotranspiration for Corn — A. Irmak and S. Irmak; 134 (6), 700-15 (2008).

Islam, A.

Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Jeng, D.-S.

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Jiang, Ming

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Jin, C. X.

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Kacimov, A. R.

Maximization of Water Storage in Backfilled and Lined Channels and Dimples Subject to Evaporation and Leakage — A. R. Kacimov; 134 (1), 101-6 (2008).

Kale, Ravindra V.

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Kanani, A.

Evolutionary Algorithms for the Determination of Critical Depths in Conduits — A. Kanani, M. Bakhtiari, S. M. Borghei, and D.-S. Jeng; 134 (6), 847-52 (2008).

Kandel, H. J.

Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Karamouz, Mohammad

Drought Mitigation through Long-Term Operation of Reservoirs: Case Study — Mohammad Karamouz and Shahab Araghinejad; 134 (4), 471-8 (2008).

Karatas, Bekir S.

Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Keshari, Ashok K.

Estimating Regional Evapotranspiration Using Remote Sensing: Application to Sone Low Level Canal System, India — Sunil K. Ambast, Ashok K. Keshari, and Ashvani K. Gosain; 134 (1), 13-25 (2008).

Kesmez, Gülüzar Duygu

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Khan, A. A.

Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Kim, Seung-Hyun

Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).

Kirby, Jason T.

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Koenig, D.

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Koger, Wilbur L.

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Kouchakzadeh, Salah

Discussion of "Solution of Specific Energy and Specific Force Equations" by Amlan Das — Ali R. Vatankhah and Salah Kouchakzadeh; 134 (6), 880-2 (2008).

Discussion of "Minimum Specific Energy and Critical Flow Conditions in Open Channels" by H. Chanson — Ali R. Vatankhah, Salah Kouchakzadeh, and A. H. Hoorfar; 134 (6), 882-3 (2008).

Kuang, X.

Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).

Kuo, Jan-Tai

Optimal Design of a Settling Basin for a Small-Scale Drainage Area — Nien-Sheng Hsu, Jan-Tai Kuo, and Shih-Kai Chiu; 134 (3), 372-9 (2008).

Kurunç, Ahmet

Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Kuzin, S. A.

Probabilistic Approach to Estimation of Urban Storm-Water Total Maximum Daily Loads: Unregulated Catchment — S. A. Kuzin and B. J. Adams; 134 (5), 579-88 (2008).

Lalor, Melinda M.

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Latif, Muhammad

Operational Analysis of Water Application of a Sprinkler Irrigation System Installed in a Golf Course: Case Study — Muhammad Latif and Faheem Ahmad; 134 (4), 446-53 (2008).

Lazarovitch, Naftali

Discussion of "Using HYDRUS-2D Simulation Model to Evaluate Wetted Soil Volume in Subsurface Drip Irrigation Systems" by Giuseppe Provenzano — Naftali Lazarovitch; 134 (6), 877-8 (2008).

Lenka, N. K.

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semi-arid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty;

134 (6), 730-6 (2008).

Lennartz, F.

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Lin, Yuan-Wen

Development of a Hydro-Salinity Simulation Model for Colorado's Arkansas Valley — Yuan-Wen Lin and Luis A. Garcia; 134 (6), 757-67 (2008).

Lin, Zhili

Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).

Lionel, Stevens

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Litrico, Xavier

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Hydraulic Modeling of an Automatic Upstream Water Level Control Gate for Submerged Flow Conditions — Gilles Belaud, Xavier Litrico, Bertus de Graaff, and Jean-Pierre Baume; 134 (3), 315-26 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Lorenz, Wayne F.

Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Lu, Gang

Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Lucas, William C.

Nutrient Retention in Vegetated and Nonvegetated Bioretention Mesocosms — William C. Lucas and Margaret Greenway; 134 (5), 613-23 (2008).

Mahar, Pooran S.

Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).

Mahesha, A.

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Mailapalli, Damodhara R.

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Majumdar, P. K.

Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Malaterre, P.-O.

Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).

Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).

Malla, Ranjit

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Martin, Derrel L.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).

Reference and Crop Evapotranspiration in South Central Nebraska. I: Comparison and Analysis of Grass and Alfalfa-Reference Evapotranspiration — A. Irmak, S. Irmak, and D. L. Martin; 134 (6), 690-9 (2008).

Martínez-Cob, A.

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Mathur, Shashi

Closure to "Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters" by Ram Kailash Prasad and Shashi Mathur — Ram Kailash Prasad and Shashi Mathur; 134 (2), 268-9 (2008).

Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Mauch, K. J.

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

McMaster, G.

New Weighing Method to Measure Shoot Water Interception — K. J. Mauch, J. A. Delgado, W. C. Bausch, K. Barbarick, and G. McMaster; 134 (3), 349-55 (2008).

Medina, E. T.

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Meng, Fan-rui

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Merkley, Gary P.

Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

Miller, Arthur C.

Development of an Empirical Lag Time Equation — Norman D. Folmar and Arthur C. Miller; 134 (4), 501-6 (2008).

Miller, Grady L.

Sensor-Based Automation of Irrigation on Bermudagrass, during Wet Weather Conditions — Bernard Cardenas-Lailhacar, Michael D. Dukes, and Grady L. Miller; 134 (2), 120-8 (2008).

Mishra, A.

Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Mishra, G. C.

Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Mohanty, S.

Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semiarid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).

Monteith, John

Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Morábito, José A.

SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Moreno Hidalgo, Miguel Ángel

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Morris, R. L.

Residential Water Savings Associated with Satellite-Based ET Irrigation Controllers — D. A. Devitt, K. Carstensen, and R. L. Morris; 134 (1), 74-82 (2008).

Muthukrishnan, Swarna

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134

(5), 675-9 (2008).

Nachabe, M. H.

Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).

Nema, Anupam K.

Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).

Ohtsu, Iwao

Discussion of "Flow Patterns and Energy Dissipation over Various Stepped Chutes" by Chaiyuth Chinnarasri and Somchai Wongwises — Masayuki Takahashi, Youichi Yasuda, and Iwao Ohtsu; 134 (1), 114-6 (2008).

Oleske, Matt

Effects of Lime Amendment on the pH of Engineered Soil Mix for the Purposes of Bioretention — Swarna Muthukrishnan and Matt Oleske; 134 (5), 675-9 (2008).

Olsen, E. C.

Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).

O'Neill, P. A.

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Ong, Choo Keong

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Ophori, Duke

Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Orang, Morteza N.

Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).

Ortega Álvarez, José Fernando

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Orvis, Sierra

Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Ostendorf, David W.

Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).

Pagliara, Stefano

Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Palermo, Michele

Energy Dissipation on Submerged Block Ramps — Stefano Pagliara, Rajib Das, and Michele Palermo; 134 (4), 527-32 (2008).

Papanicolaou, A. N. (Thanos)

Upland Erosion Modeling in a Semihumid Environment via the Water Erosion Prediction Project Model — A. N. (Thanos) Papanicolaou and O. Abaci; 134 (6), 796-806 (2008).

Parthasaradhi, G.

Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Pasternack, Gregory B.

Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).

Paw U, K. T.

Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Payero, J. O.

Variability Analyses of Alfalfa-Reference to Grass-Reference Evapotranspiration Ratios in Growing and Dormant Seasons — S. Irmak, A. Irmak, T. A. Howell, D. L. Martin, J. O. Payero, and K. S. Copeland; 134 (2), 147-59 (2008).

Peters, R. Troy

Automation of a Center Pivot Using the Temperature-Time-Threshold Method of Irrigation Scheduling — R. Troy Peters and Steven R. Evett; 134 (3), 286-91 (2008).

Piao, Xianshu

Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Pitt, Robert

Integrated Storm-Water Management for Watershed Sustainability — Robert Pitt and Shirley E. Clark; 134 (5), 548-55 (2008).

Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Planells Alandi, Patricio

Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Playán, E.

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Pomeroy, C. A.

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Postel, N. A.

Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).

Powell, D. N.

Impact of New Rainfall Patterns on Detention Pond Design — D. N. Powell, A. A. Khan, and N. M. Aziz; 134 (2), 197-201 (2008).

Pradhan, Pratistha

Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).

Prasad, Ram Kailash

Closure to "Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters" by Ram Kailash Prasad and Shashi Mathur — Ram Kailash Prasad and Shashi Mathur; 134 (2), 268-9 (2008).

Provenzano, Giuseppe

Closure to "Using Hydrus 2-D Simulation Model to Evaluate Wetted Soil Volume in Subsurface Drip Irrigation Systems" by Giuseppe Provenzano — Giuseppe Provenzano; 134 (6), 878-9 (2008).

Puig, M.

Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Querner, Erik P.

SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Rafn, Eric B.

Evaluation of a Method for Estimating Irrigated Crop-Evapotranspiration Coefficients from Remotely Sensed Data in Idaho — Eric B. Rafn, Bryce Contor, and Daniel P. Ames; 134 (6), 722-9 (2008).

Raghuwanshi, N. S.

Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).

Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).

Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Ramamurthy, A. S.

Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Ramesh, H.

Simulation of Varada Aquifer System for Sustainable Groundwater Development — H. Ramesh and A. Mahesha; 134 (3), 387-99 (2008).

Ranieri, V.
Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).
Ray, Chittaranjan
Distribution of Discharge Intensity along Small-Diameter Collector Well Laterals in a Model Riverbed Filtration — Seung-Hyun Kim, Kyu-Hong Ahn, and Chittaranjan Ray; 134 (4), 493-500 (2008).
Rees, Herb W.
Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).
Reich, Robin M.
Soil Salinity Sampling Strategy Using Spatial Modeling Techniques, Remote Sensing, and Field Data — Ahmed A. Eldeiry, Luis A. Garcia, and Robin M. Reich; 134 (6), 768-77 (2008).
Ribot-Bruno, J.
Conversion from Discharge to Gate Opening for the Control of Irrigation Canals — X. Litrico, P.-O. Malaterre, J.-P. Baume, and J. Ribot-Bruno; 134 (3), 305-14 (2008).
Static and Dynamic Data Reconciliation for an Irrigation Canal — N. Bedjaoui, X. Litrico, D. Koenig, J. Ribot-Bruno, and P.-O. Malaterre; 134 (6), 778-87 (2008).
Ritter, William F.
Editor's Note — William F. Ritter; 134 (2), 119 (2008).
Awards: 2008 Royce J. Tipton Award — William F. Ritter; 134 (5), 545 (2008).
2008 ***Journal of Irrigation and Drainage Engineering*** Awards — William F. Ritter; 134 (5), 546 (2008).
Rivera, M.
Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).
Robinson, S. C.
Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).
Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).
Rodríguez-Hernández, Jorge
Infiltration Capacity Assessment of Urban Pavements Using the LCS Permeameter and the CP Infiltrometer — Andrés H. Fernández-Barrera, Daniel Castro-Fresno, Jorge Rodríguez-Hernández, and Miguel A. Calzada-Pérez; 134 (5), 659-65 (2008).
Roesner, L. A.
Development of Storm-Water Management Design Criteria to Maintain Geomorphic Stability in Kansas City Metropolitan Area Streams — C. A. Pomeroy, N. A. Postel, P. A. O'Neill, and L. A. Roesner; 134 (5), 562-6 (2008).
Rotaru, Camelia
Steady Groundwater Transport of Highway Deicing Agent Constituents from an Infiltration Basin — David W. Ostendorf, Camelia Rotaru, and Erich S. Hinlein; 134 (5), 630-7 (2008).
Russo, Alfonso
Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).
Sabe, Gholamali
Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).
Sanchez, C. A.
Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).
Sands, G. R.
Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).
Sankar, G. R. Maruthi
Selection of Superior Tillage and Fertilizer Practices Based on Rainfall and Soil Moisture Effects on Pearl Millet Yield under Semiarid Inceptisols — Anupam K. Nema, G. R. Maruthi Sankar, and S. P. S. Chauhan; 134 (3), 361-71 (2008).
Sansalone, J.
Permeable Pavement as a Hydraulic and Filtration Interface for Urban Drainage — J. Sansalone, X. Kuang, and V. Ranieri; 134 (5), 666-74 (2008).
Satish, Mysore
Flooding Probability-Based Optimal Design of Trapezoidal Open Channel Using Freeboard as a Design Variable — Rajib Kumar Bhattacharjya and Mysore Satish; 134 (3), 405-8 (2008).
Schmitz, G. H.
Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).
Scicolone, Baldassare
Integrated Agro-Economic Approach to Deficit Irrigation on Lettuce Crops in Sicily (Italy) — Antonina Capra, Simona Consoli, Alfonso Russo, and Baldassare Scicolone; 134 (4), 437-45 (2008).
Scott Matyac, J.
Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).
Sekhar, M.
Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).
Selvakumar, Ariamalar
Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).
Şen, Zekai
Discussion of "Approximation of Well Function for Large Diameter Wells" by Sushil K. Singh — Zekai Şen; 134 (4), 543 (2008).
Shi, Yusheng
Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).
Šimůnek, J.
Simulating Root Water Uptake from a Heterogeneous Vegetative Cover — M. S. De Silva, M. H. Nachabe, J. Šimůnek, and R. Carnahan; 134 (2), 167-74 (2008).
Singh, K. K.
Performance Study of SPAW Model with Temperature-Derived ET_0 as Input in Place of Pan Evaporation under Wheat Crop in a Semiarid Subtropical Climate — N. K. Lenka, S. Mohanty, K. K. Singh, and N. V. K. Chakravarty; 134 (6), 730-6 (2008).
Singh, R.
Development and Application of Hydraulic Simulation Model for Irrigation Canal Network — A. Islam, N. S. Raghuwanshi, and R. Singh; 134 (1), 49-59 (2008).
Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).
Spatial and Temporal Variation of Manning's Roughness Coefficient in Furrow Irrigation — Damodhara R. Mailapalli, N. S. Raghuwanshi, R. Singh, G. H. Schmitz, and F. Lennartz; 134 (2), 185-92 (2008).
Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).
Singh, Rajesh P.
Optimal Design of Pressurized Irrigation Subunit — Ravindra V. Kale, Rajesh P. Singh, and Pooran S. Mahar; 134 (2), 137-46 (2008).
Singh, Ramesh K.
Application of SEBAL Model for Mapping Evapotranspiration and Estimating Surface Energy Fluxes in South-Central Nebraska — Ramesh K. Singh, Ayse Irmak, Suat Irmak, and Derrel L. Martin; 134 (3), 273-85 (2008).
Singh, Sushil K.
Identifying Head Loss from Early Drawdowns — Sushil K. Singh; 134 (1), 107-10 (2008).
Closure to "Diagnostic Curve for Estimating Soil Dispersivity and Instantaneously Injected Mass" by Sushil K. Singh — Sushil K. Singh; 134 (1), 112-4 (2008).
Simple Model for Analyzing Transient Pumping from Two Aquifers with Cross Flow — Sushil K. Singh; 134 (2), 228-34 (2008).
Estimating Aquifer Parameters from Early Drawdowns in Large-Diameter Wells — Sushil K. Singh; 134 (3), 409-13 (2008).
Simulating the Well Function for Large-Diameter Wells Using MODFLOW — Sushil K. Singh; 134 (3), 414-6 (2008).
Diagnostic Curve for Confined Aquifer Parameters from Early Drawdowns — Sushil K. Singh; 134 (4), 515-20 (2008).

Closure to "Approximation of Well Function for Large Diameter Wells" by Sushil K. Singh — Sushil K. Singh; 134 (4), 543-4 (2008).
Comparing Three Models for Treatment of Stagnant Zones in Riverine Transport — Sushil K. Singh; 134 (6), 853-6 (2008).
Approximation of *M* Function for Partially Penetrating Wells — Sushil K. Singh; 134 (6), 861-3 (2008).
Approximation of Well Function and Identification of Leaky Aquifer Parameters — Sushil K. Singh; 134 (6), 864-71 (2008).

Siu, Christina Y. S.
Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Smith, D. P.
Sorptive Media Biofiltration for Inorganic Nitrogen Removal from Storm Water — D. P. Smith; 134 (5), 624-9 (2008).

Snyder, Richard L.
Survey of Irrigation Methods in California in 2001 — Morteza N. Orang, J. Scott Matyac, and Richard L. Snyder; 134 (1), 96-100 (2008).
Simple Equation to Estimate Reference Evapotranspiration from Evaporation Pans Surrounded by Fallow Soil — Mohamed H. Abdel-Wahed and Richard L. Snyder; 134 (4), 425-9 (2008).
Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Spano, D.
Surface Renewal Estimation of Pasture Evapotranspiration — R. L. Snyder, D. Spano, P. Duce, K. T. Paw U, and M. Rivera; 134 (6), 716-21 (2008).

Spicher, Julia
Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Sridharan, K.
Numerical Simulation of Groundwater Flow with Gradually Increasing Heterogeneity due to Clogging — P. K. Majumdar, M. Sekhar, K. Sridharan, and G. C. Mishra; 134 (3), 400-4 (2008).

Srivastava, Rajesh
Discussion of "Diagnostic Curve for Estimating Soil Dispersivity and Instantaneously Injected Mass" by Sushil K. Singh — Rajesh Srivastava; 134 (1), 111-2 (2008).

Steele, Kelly A.
Roofing Materials' Contributions to Storm-Water Runoff Pollution — Shirley E. Clark, Kelly A. Steele, Julia Spicher, Christina Y. S. Siu, Melinda M. Lalor, Robert Pitt, and Jason T. Kirby; 134 (5), 638-45 (2008).

Struck, Scott D.
Editorial — Robert Traver, Shirley Clark, and Scott Struck; 134 (5), 547 (2008).
Prediction of Effluent Quality from Retention Ponds and Constructed Wetlands for Managing Bacterial Stressors in Storm-Water Runoff — Scott D. Struck, Ariamalar Selvakumar, and Michael Borst; 134 (5), 567-78 (2008).

Styles, Stuart W.
Accuracy of Global Microirrigation Distribution Uniformity Estimates — Stuart W. Styles, Charles M. Burt, Franklin Gaudi, and Sierra Orvis; 134 (3), 292-7 (2008).

Swenson, Janice
Compaction's Impacts on Urban Storm-Water Infiltration — Robert Pitt, Shen-En Chen, Shirley E. Clark, Janice Swenson, and Choo Keong Ong; 134 (5), 652-8 (2008).

Tadayon, R.
Numerical Simulation of Flows in Cut-Throat Flumes — A. S. Ramamurthy and R. Tadayon; 134 (6), 857-60 (2008).

Takahashi, Masayuki
Discussion of "Flow Patterns and Energy Dissipation over Various Stepped Chutes" by Chaiyuth Chinnarasri and Somchai Wongwises — Masayuki Takahashi, Youichi Yasuda, and Iwao Ohtsu; 134 (1), 114-6 (2008).

Tarjuelo Martín-Benito, José María
Calibration of On-Demand Irrigation Network Models — Miguel Ángel Moreno Hidalgo, Patricio Planells Alandi, José Fernando Ortega Álvarez, and José María Tarjuelo Martín-Benito; 134 (1), 36-42 (2008).

Taufik, N. F. N.
Electric Motor Efficiency under Variable Frequencies and Loads — Charles M. Burt, Xianshu Piao, Franklin Gaudi, Bryan Busch, and N. F. N. Taufik; 134 (2), 129-36 (2008).

Teasdale, Gregg N.
Aerial Assessment of Ephemeral Gully Erosion from Agricultural Regions in the Pacific Northwest — Gregg N. Teasdale and Michael E. Barber; 134 (6), 807-14 (2008).

Thompson, David B.
Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods — Xing Fang, David B. Thompson, Theodore G. Cleveland, Pratistha Pradhan, and Ranjit Malla; 134 (2), 202-11 (2008).
Synthesis of Unit Hydrographs from a Digital Elevation Model — Theodore G. Cleveland, David B. Thompson, Xing Fang, and Xin He; 134 (2), 212-21 (2008).

Tiğrek, Şahnaz
Use of Brink Depth in Discharge Measurement — Şahnaz Tiğrek, C. Ersen Firat, and A. Metin Ger; 134 (1), 89-95 (2008).

Torres, Alfonso F.
Cutthroat Measurement Flume Calibration for Free and Submerged Flow Using a Single Equation — Alfonso F. Torres and Gary P. Merkley; 134 (4), 521-6 (2008).

Tozzi, Diego
SIMGRO, a GIS-Supported Regional Hydrologic Model in Irrigated Areas: Case Study in Mendoza, Argentina — Erik P. Querner, José A. Morábito, and Diego Tozzi; 134 (1), 43-8 (2008).

Traver, Robert G.
Editorial — Robert Traver, Shirley Clark, and Scott Struck; 134 (5), 547 (2008).
Multiyear and Seasonal Variation of Infiltration from Storm-Water Best Management Practices — Clay H. Emerson and Robert G. Traver; 134 (5), 598-605 (2008).

Trujillo, Molly Y.
Nonpoint Source Phosphorus Trading in the Cherry Creek Reservoir Watershed in Colorado — T. Andrew Earles, Wayne F. Lorenz, Wilbur L. Koger, and Molly Y. Trujillo; 134 (5), 589-97 (2008).

Tullis, Blake P.
Quantifying Culvert Exit Loss — B. P. Tullis and S. C. Robinson; 134 (2), 263-6 (2008).
Hydraulics of Multibarrel Culverts under Inlet Control — Gary M. Haderlie and Blake P. Tullis; 134 (4), 507-14 (2008).
Reducing Detention Volumes with Improved Outlet Structure — B. P. Tullis, E. C. Olsen, and K. Gardner; 134 (6), 824-30 (2008).
Entrance Loss Coefficients and Inlet Control Head–Discharge Relationships for Buried-Invert Culverts — B. P. Tullis, D. S. Anderson, and S. C. Robinson; 134 (6), 831-9 (2008).

Turral, H.
Water Scarcity Effects on Equitable Water Distribution and Land Use in a Major Irrigation Project—Case Study in India — A. Gaur, T. W. Biggs, M. K. Gumma, G. Parthasaradhi, and H. Turral; 134 (1), 26-35 (2008).

Unal, Halil B.
Evaluation of Irrigation Canal Maintenance according to Roughness and Active Canal Capacity Values — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 134 (1), 60-6 (2008).

Ünlükara, Ali
Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Vadodaria, Ghanshyam P.
Drainage of Ponded Surface by an Array of Ditches — Bhagu R. Chahar and Ghanshyam P. Vadodaria; 134 (6), 815-23 (2008).

Valiantzas, John D.
Explicit Power Formula for the Darcy–Weisbach Pipe Flow Equation: Application in Optimal Pipeline Design — John D. Valiantzas; 134 (4), 454-61 (2008).

Vasudevan, A. K.
Seepage Velocity and Piping Resistance of Coir Fiber Mixed Soils — G. L. Sivakumar Babu and A. K. Vasudevan; 134 (4), 485-92 (2008).

Vatankhah, Ali R.
Discussion of "Solution of Specific Energy and Specific Force Equations" by Amlan Das — Ali R. Vatankhah and Salah Kouchakzadeh; 134 (6), 880-2 (2008).
Discussion of "Minimum Specific Energy and Critical Flow Conditions in Open Channels" by H. Chanson — Ali R. Vatankhah, Salah Kouchakzadeh, and A. H. Hoorfar; 134 (6), 882-3 (2008).

Venutelli, Maurizio
Method of Solution of Nonuniform Flow with the Presence of Rectangular Side Weir — Maurizio Venutelli; 134 (6), 840-6 (2008).

Verma, H. C.
Alternative Rotational Delivery Scheduling for Better Water Regime in Canal Command — A. Mishra, H. C. Verma, and R. Singh; 134 (2), 175-84 (2008).

Wallender, Wesley W.
Estimating Suspended Sediment Concentration Using Turbidity in an Irrigation-Dominated Southeastern California Watershed — Peng Gao, Gregory B. Pasternack, Khaled M. Bali, and Wesley W. Wallender; 134 (2), 250-9 (2008).
Quick Method for Estimating Furrow Infiltration — Damodhara R. Mailapalli, W. W. Wallender, N. S. Raghuwanshi, and R. Singh; 134 (6), 788-95 (2008).

Warrick, A. W.
Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Wei, Qingsong
Rapid Evaluations of Anticlogging Performance of Drip Emitters by Laboratorial Short-Cycle Tests — Qingsong Wei, Yusheng Shi, Gang Lu, Wenchu Dong, and Shuhuai Huang; 134 (3), 298-304 (2008).

Wiersma, J. H.
Influence of Subsurface Drainage on Soil Temperature in a Cold Climate — C. X. Jin, G. R. Sands, H. J. Kandel, J. H. Wiersma, and B. J. Hansen; 134 (1), 83-8 (2008).

Wong, Tommy S. W.
Discussion of "Storm-Water Predictions by Dimensionless Unit Hydrograph" by James C. Y. Guo — Tommy S. W. Wong; 134 (2), 269 (2008).

Wongwises, Somchai
Closure to "Flow Patterns and Energy Dissipation over Various Stepped Chutes" by Chaiyuth Chinnarasri and Somchai Wongwises — Chaiyuth Chinnarasri and Somchai Wongwises; 134 (1), 117 (2008).

Xing, Zisheng
Testing Reference Evapotranspiration Estimation Methods Using Evaporation Pan and Modeling in Maritime Region of Canada — Zisheng Xing, Lien Chow, Fan-rui Meng, Herb W. Rees, John Monteith, and Stevens Lionel; 134 (4), 417-24 (2008).

Yadav, Brijesh K.
Modeling Soil Water Uptake by Plants Using Nonlinear Dynamic Root Density Distribution Function — Brijesh K. Yadav and Shashi Mathur; 134 (4), 430-6 (2008).

Yari, Aghil
Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Yari, Ruhullah
Study of Variation of Saturated Hydraulic Conductivity with Time — Abdullah Darzi, Aghil Yari, Hasan Bagheri, Gholamali Sabe, and Ruhullah Yari; 134 (4), 479-84 (2008).

Yasuda, Youichi
Discussion of "Flow Patterns and Energy Dissipation over Various Stepped Chutes" by Chaiyuth Chinnarasri and Somchai Wongwises — Masayuki Takahashi, Youichi Yasuda, and Iwao Ohtsu; 134 (1), 114-6 (2008).

Yidana, Sandow Mark
Groundwater Quality Evaluation for Productive Uses— The Afram Plains Area, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 134 (2), 222-7 (2008).

Yıldırım, Gürol
Determining Operating Inlet Pressure Head Incorporating Uniformity Parameters for Multioutlet Plastic Pipelines — Gürol Yıldırım; 134 (3), 341-8 (2008).

Yurtseven, Engin
Growth and Evapotranspiration of Okra (*Abelmoschus Esculentus L.*) as Influenced by Salinity of Irrigation Water — Ali Ünlükara, Ahmet Kurunç, Gülüzar Duygu Kesmez, and Engin Yurtseven; 134 (2), 160-6 (2008).

Zapata, N.
Contribution of Evapotranspiration Reduction during Sprinkler Irrigation to Application Efficiency — A. Martínez-Cob, E. Playán, N. Zapata, J. Cavero, E. T. Medina, and M. Puig; 134 (6), 745-56 (2008).

Zerihun, D.
Development of Simplified Solutions for Modeling Recession in Basins — D. Zerihun, A. Furman, C. A. Sanchez, and A. W. Warrick; 134 (3), 327-40 (2008).

Zhao, Xiangyang
Fringing Field Sensor Using a Circuit-Modulated Parameter for Measuring Water Content in a Soil Sample — Jiandong Hu, Ming Jiang, Xiangyang Zhao, and Zhili Lin; 134 (3), 356-60 (2008).